

List of key words used in the annual subject indexes

(valid from January 1994)

This list is common to *Monthly Notices of the Royal Astronomical Society*, *Astronomy and Astrophysics*, and *The Astrophysical Journal*. In order to ease the search, the key words are subdivided into broad categories. No more than six subcategories altogether should be listed for a paper.

The subcategories in boldface containing the word 'individual' are intended for use with specific astronomical objects; these should never be used alone, but always in combination with the most common names for the astronomical objects in question. Note that each object counts as one subcategory within the allowed limit of six.

The parts of the key words in italics are for reference only and should be omitted when the key words are entered on the manuscript.

General

book reviews
editorials, notices
errata, addenda
extraterrestrial intelligence
history and philosophy of astronomy
miscellaneous
obituaries, biographies

Physical data and processes

acceleration of particles
accretion, accretion discs
atomic data
atomic processes
black hole physics
chaotic phenomena
conduction
convection
cosmic strings
dense matter
diffusion
elementary particles
equation of state
gravitation
hydrodynamics
instabilities
line: formation
line: identification
line: profiles
magnetic fields
(*magnetohydrodynamics*) MHD
masers
molecular data
molecular processes
nuclear reactions, nucleosynthesis, abundances
plasmas
polarization

radiation mechanisms: non-thermal
radiation mechanisms: thermal
radiative transfer
relativity
scattering
shock waves
turbulence
waves

Astronomical instrumentation, methods and techniques

atmospheric effects
balloons
instrumentation: detectors
instrumentation: interferometers
instrumentation: miscellaneous
instrumentation: photometers
instrumentation: polarimeters
instrumentation: spectrographs
methods: analytical
methods: data analysis
methods: miscellaneous
methods: numerical
methods: observational
methods: statistical
site testing
space vehicles
techniques: image processing
techniques: interferometric
techniques: miscellaneous
techniques: photometric
techniques: polarimetric
techniques: radar astronomy
techniques: radial velocities
techniques: spectroscopic
telescopes

Astronomical data bases

astronomical data bases: miscellaneous
atlases
catalogues
surveys

Astrometry and celestial mechanics

astrometry
celestial mechanics, stellar dynamics
eclipses
ephemerides
occultations
reference systems
time

The Sun

Sun: abundances
Sun: activity
Sun: atmosphere
Sun: chromosphere
Sun: corona
Sun: faculae, plages
Sun: filaments
Sun: flares
Sun: fundamental parameters
Sun: general
Sun: granulation
Sun: infrared
Sun: interior
Sun: magnetic fields
Sun: oscillations
Sun: particle emission
Sun: photosphere
Sun: prominences
Sun: radio radiation
Sun: rotation
(Sun:) solar-terrestrial relations
(Sun:) solar wind
(Sun:) sunspots
Sun: transition region
Sun: UV radiation
Sun: X-rays, gamma-rays

Solar system

comets: general
comets: individual:...
Earth
interplanetary medium
meteors, meteoroids
minor planets, asteroids
Moon
planets and satellites: general
planets and satellites: individual:...
Solar system: formation
Solar system: general

Stars

stars: abundances
stars: activity
stars: AGB and post-AGB
stars: atmospheres
(stars:) binaries (including multiple): close
(stars:) binaries: eclipsing
(stars:) binaries: general
(stars:) binaries: spectroscopic
(stars:) binaries: symbiotic
(stars:) binaries: visual
stars: blue stragglers
stars: carbon
stars: chemically peculiar
stars: chromospheres
(stars:) circumstellar matter
stars: coronae
stars: distances
stars: early-type

stars: emission-line, Be
stars: evolution
stars: flare
stars: formation
stars: fundamental parameters (classification, colours, luminosities, masses, radii, temperatures, etc.)
stars: general
stars: giant
(stars:) Hertzsprung-Russell (HR) diagram
stars: horizontal branch
stars: imaging
stars: individual:...
stars: interiors
stars: kinematics
stars: late-type
stars: low-mass, brown dwarfs
stars: luminosity function, mass function
stars: magnetic fields
stars: mass-loss
stars: neutron
(stars:) novae, cataclysmic variables
stars: oscillations (including pulsations)
stars: peculiar (except chemically peculiar)
(stars:) planetary systems
stars: Population II
stars: pre-main-sequence
(stars:) pulsars: general
(stars:) **pulsars: individual:...**
stars: rotation
stars: statistics
(stars:) subdwarfs
(stars:) supergiants
(stars:) supernovae: general
(stars:) **supernovae: individual:...**
(stars: variables:) Cepheids
(stars: variables:) δ Scuti
stars: variables: other
(stars:) white dwarfs
stars: Wolf-Rayet

Interstellar medium (ISM), nebulae

ISM: abundances
ISM: atoms
ISM: bubbles
ISM: clouds
(ISM:) cosmic rays
(ISM:) dust, extinction
ISM: general
ISM: globules
(ISM:) H II regions
ISM: individual:...
(except planetary nebulae)
ISM: jets and outflows
ISM: kinematics and dynamics
ISM: magnetic fields
ISM: molecules
(ISM:) planetary nebulae: general
(ISM:) **planetary nebulae: individual:...**
(ISM:) reflection nebulae
ISM: structure
(ISM:) supernova remnants

The Galaxy

Galaxy: abundances
Galaxy: centre
Galaxy: evolution
Galaxy: formation
Galaxy: fundamental parameters
Galaxy: general
(Galaxy:) globular clusters: general
(Galaxy:) **globular clusters: individual:...**
Galaxy: halo
Galaxy: kinematics and dynamics
(Galaxy:) open clusters and associations: general
(Galaxy:) **open clusters and associations: individual:...**
(Galaxy:) solar neighbourhood
Galaxy: stellar content
Galaxy: structure

Galaxies

galaxies: abundances
galaxies: active
(galaxies:) BL Lacertae objects: general
(galaxies:) **BL Lacertae objects: individual:...**
galaxies: clustering
galaxies: clusters: individual:...
galaxies: compact
(galaxies:) cooling flows
galaxies: distances and redshifts
galaxies: elliptical and lenticular, cD
galaxies: evolution
galaxies: formation
galaxies: fundamental parameters
(classification, colours, luminosities, masses, radii, etc.)
galaxies: general
galaxies: individual:...
galaxies: interactions
(galaxies:) intergalactic medium
galaxies: ISM
galaxies: irregular
galaxies: jets
galaxies: kinematics and dynamics
(galaxies:) Local Group
galaxies: luminosity function, mass function
(galaxies:) Magellanic Clouds
galaxies: magnetic fields
galaxies: nuclei
galaxies: peculiar
galaxies: photometry
(galaxies:) quasars: absorption lines
(galaxies:) quasars: emission lines
(galaxies:) quasars: general

(galaxies:) **quasars: individual:...**


galaxies: Seyfert
galaxies: spiral
galaxies: starburst
galaxies: star clusters
galaxies: stellar content
galaxies: structure

Cosmology

(cosmology:) cosmic microwave background
cosmology: miscellaneous
cosmology: observations
cosmology: theory
(cosmology:) dark matter
(cosmology:) diffuse radiation
(cosmology:) distance scale
(cosmology:) early Universe
(cosmology:) gravitational lensing
(cosmology:) large-scale structure of Universe

Sources as a function of wavelength

gamma-rays: bursts
gamma-rays: observations
gamma-rays: theory
infrared: galaxies
infrared: general
infrared: ISM: continuum
infrared: ISM: lines and bands
infrared: Solar system
infrared: stars
radio continuum: galaxies
radio continuum: general
radio continuum: ISM
radio continuum: Solar system
radio continuum: stars
radio lines: galaxies
radio lines: general
radio lines: ISM
radio lines: Solar system
radio lines: stars
ultraviolet: galaxies
ultraviolet: general
ultraviolet: ISM
ultraviolet: Solar system
ultraviolet: stars
X-rays: bursts
X-rays: galaxies
X-rays: general
X-rays: ISM
X-rays: stars



SUBJECT INDEX

General

Erratum: The photometric properties of 'box/peanut' galactic bulges (Shaw M.), **267**, 800

Physical data and processes

Confidence intervals for orbital parameters determined polarimetrically (Wolinski K.G., Dolan J.F.), **267**, 5
Some conditions for existence of tension stars (Comer G.L., Katz J.), **267**, 51
Observations of deuterated cyanoacetylene in dark clouds (Howe D.A., Millar T.J., Schilke P., Walmsley C.M.), **267**, 59
BVRI photoelectric photometry and radial velocity data for four RR Lyrae stars in the globular cluster NGC 6121: the strange case of V15 (Clementini G., Merighi R., Pasquini L., Cacciari C., Gouiffes C.), **267**, 83
Self-similar solutions up to flashpoint in highly wound magnetostatics (Lynden-Bell D., Boily C.), **267**, 146
He II lines from cataclysmic variable winds (Hoare M.G.), **267**, 153
A note on the stability of hierarchical triple stars with initially circular orbits (Kiseleva L.G., Eggleton P.P., Anosova J.P.), **267**, 161
Helioseismic measurement of the extent of overshoot below the solar convection zone (Basu S., Antia H.M., Narasimha D.), **267**, 209
Effective collision strengths for intermultiplet $2s2p^4$ to $2s^22p^3s$, and $2s^22p^3$ and $2s^22p^23s$ to $2s^22p^23s$ optically forbidden transitions of O II (McLaughlin B.M., Bell K.L.), **267**, 231
Magnetic field dragging in accretion discs (Lubow S.H., Papaloizou J.C.B., Pringle J.E.), **267**, 235
Multifrequency observations of the radio galaxy 3C 159 (Cerchiara P.L., Browne I.W.A., Mantovani F., Muxlow T.W.B.), **267**, 247
The seismology of stellar cores: a simple theoretical description of the 'small frequency separations' (Roxburgh I.W., Vorontsov S.V.), **267**, 297
On the polarization of resonantly scattered emission lines – I. Emission and absorption coefficients in an anisotropic radiation field (Lee H.-W., Blandford R.D., Western L.), **267**, 303
The 35-d modulation of the X-ray emission of Her X-1 in the framework of the SOD model: results of a three-dimensional SPH simulation (Lanzafame G., Belvedere G., Molteni D.), **267**, 312
Dust in discs around T Tauri stars: grain growth? (Mannings V., Emerson J.P.), **267**, 361
Optical emission associated with the radio jet in B2 1243 + 26 (González-Serrano J.I., Pérez-Fournon I., Morganti R.), **267**, 424
Radiative wind models with azimuthal symmetry – II. A latitude-dependent wind for Be and B[e] stars (de Araújo F.X., de Freitas Pacheco J.A., Petrini D.), **267**, 501
A search for extragalactic methanol masers (Ellingsen S.P., Norris R.P., Whiteoak J.B., Vaile R.A., McCulloch P.M., Price M.G.), **267**, 510
The line of death, the line of birth (Rudak B., Ritter H.), **267**, 513
Magnetic field evolution in neutron stars: coupling between poloidal and toroidal components in the crust (Muslimov A.G.), **267**, 523
Line profiles of Cepheid variables: projection factors and metallic line asymmetries (Albrow M.D., Cottrell P.L.), **267**, 548
Impact of small bodies on to discs around compact objects – I. Impact statistics (Pineault S., Landry S.), **267**, 557
Stability of a relativistic rotating electron-positron jet (Istomin Ya.N., Pariev V.I.), **267**, 629
Dynamical instability for shearing viscous collapse (Chan R., Herrera L., Santos N.O.), **267**, 637
Astrophysical determination of optical oscillator strengths for Ti II (Ryabchikova T.A., Hill G.M., Landstreet J.D., Piskunov N., Sigut T.A.A.), **267**, 697
The contribution of the obscuring torus to the X-ray spectrum of Seyfert galaxies: a test for the unification model (Ghisellini G., Haardt F., Matt G.), **267**, 743
Infrared polarimetry in the Chamaeleon I dark cloud (McGregor P.J., Harrison T.E., Hough J.H., Bailey J.A.), **267**, 755

Viscous evolution of self-gravitating galactic discs under modified Newtonian dynamics (Morishima T., Saio H.), **267**, 766
Grains in shocks in weakly ionized clouds – II. Magnetic field rotation in oblique shocks (Pilipp W., Hartquist T.W.), **267**, 801
Lagrangian theory of gravitational instability of Friedman–Lemaître cosmologies – a generic third-order model for non-linear clustering (Buchert T.), **267**, 811
Desorption of grain mantles in quiescent dark clouds by H₂ formation (Willacy K., Williams D.A., Duley W.W.), **267**, 949
A spectrophotometric study of the cataclysmic variable 1329–294 (Still M.D., Marsh T.R., Dhillon V.S., Horne K.), **267**, 957
X-ray reprocessing by cold clouds in active galactic nuclei (Nandra K., George I.M.), **267**, 974
Circulation of matter and evolution of the internal magnetic field in neutron stars (Urpin V.A., Ray A.), **267**, 1000
On the nature of non-thermal radiation from cosmological γ -ray bursters (Usov V.V.), **267**, 1035
On the timing history of PSR B1509–58 (Blandford R.D.), **267**, L7
Iron K α resonant absorption in warm absorbers around active galactic nuclei (Matt G.), **267**, L17

Astronomical instrumentation, methods and techniques

Confidence intervals for orbital parameters determined polarimetrically (Wolinski K.G., Dolan J.F.), **267**, 5
Asteroid 5335 Damocles and its implications for cometary dynamics (Asher D.J., Bailey M.E., Hahn G., Steel D.I.), **267**, 26
The phase function for stellar acoustic oscillations – II. Effects of filtering (Pérez Hernández F., Christensen-Dalsgaard J.), **267**, 111
Maximum entropy mapping of IRAS data – III. Evidence for hot dust in M17 (Hobson M.P., Ward-Thompson D.), **267**, 141
The seismology of stellar cores: a simple theoretical description of the 'small frequency separations' (Roxburgh I.W., Vorontsov S.V.), **267**, 297
The 35-d modulation of the X-ray emission of Her X-1 in the framework of the SOD model: results of a three-dimensional SPH simulation (Lanzafame G., Belvedere G., Molteni D.), **267**, 312
Mapping the accretion region in AM Her systems: ST LMi (Cropper M., Horne K.), **267**, 481
On the properties of images from coded-mask telescopes (Skinner G.K., Ponman T.J.), **267**, 518
The nature of the extended blue continuum in Cygnus A (Shaw M., Tadhunter C.), **267**, 589
Lagrangian theory of gravitational instability of Friedman–Lemaître cosmologies – a generic third-order model for non-linear clustering (Buchert T.), **267**, 811
Penetrating the fog: correcting ground-based CCD spectroscopy for telluric absorption (Stevenson C.C.), **267**, 904
Multinarrowband imaging: a new technique for multi-object spectrophotometry (Hickson P., Gibson B.K., Callaghan K.A.S.), **267**, 911
Period searching by least squares in sparsely sampled light curves with non-sinusoidal oscillations (Martinez P., Koen C.), **267**, 1039
Accretion of satellite galaxies and the density of the Universe (Navarro J.F., Frenk C.S., White S.D.M.), **267**, L1

Astronomical data bases

The three-dimensional power spectrum measured from the APM Galaxy Survey – II. Use of the two-dimensional power spectrum (Baugh C.M., Efstathiou G.), **267**, 323
The spatial clustering of faint galaxies (Cole S., Ellis R., Broadhurst T., Colless M.), **267**, 541
The spatial correlation function from an X-ray-selected sample of Abell clusters (Nichol R.C., Briel U.G., Henry J.P.), **267**, 771

Astrometry and celestial mechanics

Asteroid 5335 Damocles and its implications for cometary dynamics (Asher D.J., Bailey M.E., Hahn G., Steel D.I.), **267**, 26

A note on the stability of hierarchical triple stars with initially circular orbits (Kiseleva L.G., Eggleton P.P., Anosova J.P.), **267**, 161

The power-law galaxies (Evans N.W.), **267**, 333

A new distribution function fitting a nearly spherical cold-collapsed N-body system (Voglis N.), **267**, 379

Impact of small bodies on to discs around compact objects – I. Impact statistics (Pineault S., Landry S.), **267**, 557

The Sun

The phase function for stellar acoustic oscillations – II. Effects of filtering (Pérez Hernández F., Christensen-Dalsgaard J.), **267**, 111

Self-similar solutions up to flashpoint in highly wound magnetostatics (Lynden-Bell D., Boily C.), **267**, 146

Helioseismic measurement of the extent of overshoot below the solar convection zone (Basu S., Antia H.M., Narasimha D.), **267**, 209

Solar system

Asteroid 5335 Damocles and its implications for cometary dynamics (Asher D.J., Bailey M.E., Hahn G., Steel D.I.), **267**, 26

Impact of small bodies on to discs around compact objects – I. Impact statistics (Pineault S., Landry S.), **267**, 557

Stars

Further photometry of LSI + 61°303 (Mendelson H., Mazeh T.), **267**, 1

Confidence intervals for orbital parameters determined polarimetrically (Wolinski K.G., Dolan J.F.), **267**, 5

Light-curve and period changes of AB Andromedae (Demircan O., Derman E., Akalın A., Selam S., Müyesseroglu Z.), **267**, 19

Chemical abundances of RR Lyrae stars in the globular cluster M4 (Clementini G., Merighi R., Gratton R., Carretta E.), **267**, 43

Some conditions for existence of tension stars (Comer G.L., Katz J.), **267**, 51

Photoelectric radial velocities, Paper XIV. Variation of the radial velocity of ϵ Cygni (Griffin R.F.), **267**, 69

A method for identifying blue horizontal branch stars on the basis of spectra and photoelectric colours (Flynn C., Sommer-Larsen J., Christensen P.R.), **267**, 77

BVRI photoelectric photometry and radial velocity data for four RR Lyrae stars in the globular cluster NGC 6121: the strange case of V15 (Clementini G., Merighi R., Pasquini L., Cacciari C., Gouiffes C.), **267**, 83

Photometry and line profile variations of the peculiar variable γ Doradus (Balona L.A., Hearnshaw J.B., Koen C., Collier A., Machi I., Mkhosi M., Steenberg C.), **267**, 103

The phase function for stellar acoustic oscillations – II. Effects of filtering (Pérez Hernández F., Christensen-Dalsgaard J.), **267**, 111

Two radio pulsars in the globular cluster NGC 6624 (Biggs J.D., Bailes M., Lyne A.G., Goss W.M., Fruchter A.S.), **267**, 125

He II lines from cataclysmic variable winds (Hoare M.G.), **267**, 153
A note on the stability of hierarchical triple stars with initially circular orbits (Kiseleva L.G., Eggleton P.P., Anosova J.P.), **267**, 161

The mid-infrared spectral development of Nova Cen 1986 (Smith C.H., Aitken D.K., Roche P.F.), **267**, 225

Effective collision strengths for intermultiplet $2s2p^4$ to $2s^22p^23s$, and $2s^22p^3$ and $2s^22p^23s$ to $2s^22p^23s$ optically forbidden transitions of O II (McLaughlin B.M., Bell K.L.), **267**, 231

The seismology of stellar cores: a simple theoretical description of the 'small frequency separations' (Roxburgh I.W., Vorontsov S.V.), **267**, 297

The 35-d modulation of the X-ray emission of Her X-1 in the framework of the SOD model: results of a three-dimensional SPH simulation (Lanzafame G., Belvedere G., Molteni D.), **267**, 312
Dust in discs around T Tauri stars: grain growth? (Mannings V., Emerson J.P.), **267**, 361

An infrared spectral sequence for M dwarfs (Jones H.R.A., Longmore A.J., Jameson R.F., Mountain C.M.), **267**, 413

A preliminary analysis of the planetary nebula central star V477 Lyrae (Pollacco D.L., Bell S.A.), **267**, 452

A 60-night campaign on dwarf novae – I. Photometric variability of SU UMa and YZ Cnc (van Paradijs J., Charles P.A., Harlaftis E.T., Arevalo M.J., Baruch J.E.F., Callanan P.J., Casares J., Dhillon V.S., Gimenez A., Gonzalez R., Martinez-Pais I.G., Jones D.H.P., Hassall B.J.M., Hellier C., Kidger M.R., Lazaro C., Marsh T.R., Mason K.O., Mukai K., Naylor T., Reglero V., Rutten R.G.M., Smith R.C.), **267**, 465

A 60-night campaign on dwarf novae – II. Evidence for Balmer emission from the secondary star in IP Peg close to outburst (Harlaftis E.T., Marsh T.R., Dhillon V.S., Charles P.A.), **267**, 473

Mapping the accretion region in AM Her systems: ST LMi (Cropper M., Horne K.), **267**, 481

The Geminga enigma: how many are there in the gamma-ray sky? (Helfand D.J.), **267**, 490

Radiative wind models with azimuthal symmetry – II. A latitude-dependent wind for Be and B[e] stars (de Araújo F.X., de Freitas Pacheco J.A., Pettrini D.), **267**, 501

The line of death, the line of birth (Rudak B., Ritter H.), **267**, 513

Magnetic field evolution in neutron stars: coupling between poloidal and toroidal components in the crust (Muslimov A.G.), **267**, 523

A period decrease in the sdB eclipsing binary system HW Vir (Kilkenny D., Marang F., Menzies J.W.), **267**, 535

Line profiles of Cepheid variables: projection factors and metallic line asymmetries (Albrow M.D., Cottrell P.L.), **267**, 548

Impact of small bodies on to discs around compact objects – I. Impact statistics (Pineault S., Landry S.), **267**, 557

The discovery of a brake on the white dwarf in AE Aquarii (de Jager O.C., Meintjes P.J., O'Donoghue D., Robinson E.L.), **267**, 577

A new hot DA white dwarf in a region of exceptionally low H I density (Barstow M.A., Wesemael F., Holberg J.B., Buckley D.A.H., Stobie R.S., Mittaz J.P.D., Fontaine G., Rosen S.R., Demers S., Lamontagne R., Irwin M.J., Bergeron P., Kepler S.O., Vennes S.), **267**, 647

The nature of the newly discovered DO white dwarf RE 0503–289 (Barstow M.A., Holberg J.B., Werner K., Buckley D.A.H., Stobie R.S.), **267**, 653

The planetary nebula surrounding the WC 11 star IRAS 17514–1555 (Pollacco D.L., Hill P.W.), **267**, 692

Astrophysical determination of optical oscillator strengths for Ti II (Ryabchikova T.A., Hill G.M., Landstreet J.D., Piskunov N., Sigut T.A.A.), **267**, 697

High-mass-loss AGB stars in the South Galactic Cap (Whitelock P., Menzies J., Feast M., Marang F., Carter B., Roberts G., Catchpole R., Chapman J.), **267**, 711

Infrared polarimetry in the Chamaeleon I dark cloud (McGregor P.J., Harrison T.E., Hough J.H., Bailey J.A.), **267**, 755

Viscous evolution of self-gravitating galactic discs under modified Newtonian dynamics (Morishima T., Saio H.), **267**, 766

ROSAT EUV luminosity functions of nearby late-type stars (Hodgkin S.T., Pye J.P.), **267**, 840

A singular interacting eclipsing binary in the Galactic halo (Whitelock P., Menzies J., Catchpole R., Marang F.), **267**, 881

Ultraviolet and radio observations of the young, rapidly rotating K0 dwarf star HD 197890 (Robinson R.D., Carpenter K.G., Slee O.B., Nelson G.J., Stewart R.T.), **267**, 918

A spectrophotometric study of the cataclysmic variable 1329–294 (Still M.D., Marsh T.R., Dhillon V.S., Horne K.), **267**, 957

Circulation of matter and evolution of the internal magnetic field in neutron stars (Urpin V.A., Ray A.), **267**, 1000

On the nature of non-thermal radiation from cosmological γ -ray bursts (Usov V.V.), **267**, 1035

Period searching by least squares in sparsely sampled light curves with non-sinusoidal oscillations (Martinez P., Koen C.), **267**, 1039

Pulsational activity on IK Pegasi (Wonnacott D., Kellett B.J., Smalley B., Lloyd C.), **267**, 1045

The open cluster NGC 3293 and its short-period B-type variables (Balona L.A.), **267**, 1060

The open cluster NGC 4755 and its short-period B-type variables (Balona L.A., Koen C.), **267**, 1071

- High-precision photometry of the RS CVn binary system XY UMa and a dark-zone photometric model (Hilditch R.W., Bell S.A.), **267**, 1081
- Spin-resolved optical CCD spectroscopy and photometry of BG Canis Minoris (Garlick M.A., Rosen S.R., Mittaz J.P.D., Mason K.O., De Martino D.), **267**, 1095
- A search for β Cephei-type variability in a sample of intermediate-to high-Galactic-latitude B-type stars (Hambly N.C., Kilkenny D., Keenan F.P., van Wyk F., Marang F., Roberts G., Dufton P.L.), **267**, 1103
- A fast pulsar in SN1987A? (Michel F.C.), **267**, L4
- On the timing history of PSR B1509-58 (Blandford R.D.), **267**, L7
- Micro-lensing by the Milky Way halo (Evans N.W., Jijina J.), **267**, L21

Interstellar medium (ISM), nebulae

- Observations of deuterated cyanoacetylene in dark clouds (Howe D.A., Millar T.J., Schilke P., Walmsley C.M.), **267**, 59
- Maximum entropy mapping of IRAS data - III. Evidence for hot dust in M17 (Hobson M.P., Ward-Thompson D.), **267**, 141
- The mid-infrared spectral development of Nova Cen 1986 (Smith C.H., Aitken D.K., Roche P.F.), **267**, 225
- Effective collision strengths for intermultiplet $2s2p^4$ to $2s^22p^3s$, and $2s^22p^3$ and $2s^22p^3s$ to $2s^22p^3s$ optically forbidden transitions of O II (McLaughlin B.M., Bell K.L.), **267**, 231
- Magnetic field dragging in accretion discs (Lubow S.H., Papaloizou J.C.B., Pringle J.E.), **267**, 235
- Dust in discs around T Tauri stars: grain growth? (Mannings V., Emerson J.P.), **267**, 361
- Cosmic ray ionization of the interstellar medium (Nath B.B., Biermann P.L.), **267**, 447
- A preliminary analysis of the planetary nebula central star V477 Lyrae (Pollacco D.L., Bell S.A.), **267**, 452
- A search for extragalactic methanol masers (Ellingsen S.P., Norris R.P., Whiteoak J.B., Vaile R.A., McCulloch P.M., Price M.G.), **267**, 510
- A new hot DA white dwarf in a region of exceptionally low H I density (Barstow M.A., Wesemael F., Holberg J.B., Buckley D.A.H., Stobie R.S., Mittaz J.P.D., Fontaine G., Rosen S.R., Demers S., Lamontagne R., Irwin M.J., Bergeron P., Kepler S.O., Vennes S.), **267**, 647
- The nature of the newly discovered DO white dwarf RE 0503-289 (Barstow M.A., Holberg J.B., Werner K., Buckley D.A.H., Stobie R.S.), **267**, 653
- Observations of interstellar gas towards ω Centauri and the Carina-Sagittarius spiral arm (Wood K.D., Bates B.), **267**, 660
- The planetary nebula surrounding the WC 11 star IRAS 17514-1555 (Pollacco D.L., Hill P.W.), **267**, 692
- Infrared polarimetry in the Chamaeleon I dark cloud (McGregor P.J., Harrison T.E., Hough J.H., Bailey J.A.), **267**, 755
- Grains in shocks in weakly ionized clouds - II. Magnetic field rotation in oblique shocks (Pilipp W., Hartquist T.W.), **267**, 801
- New emission nebulae in the POSS field $18^h48^m+0^s$ (Cappellaro E., Benetti S., Sabbadin F., Salvadori L., Turatto M., Zanin C.), **267**, 871
- Desorption of grain mantles in quiescent dark clouds by H₂ formation (Willacy K., Williams D.A., Duley W.W.), **267**, 949
- A search for photometric variability in the central star of NGC 6543 (Bell S.A., Pollacco D.L., Hilditch R.W.), **267**, 1053
- A fast pulsar in SN1987A? (Michel F.C.), **267**, L4

The Galaxy

- Chemical abundances of RR Lyrae stars in the globular cluster M4 (Clementini G., Merighi R., Gratton R., Carretta E.), **267**, 43
- A method for identifying blue horizontal branch stars on the basis of spectra and photoelectric colours (Flynn C., Sommer-Larsen J., Christensen P.R.), **267**, 77
- BVRI photoelectric photometry and radial velocity data for four RR Lyrae stars in the globular cluster NGC 6121: the strange case of V15 (Clementini G., Merighi R., Pasquini L., Cacciari C., Gouffes C.), **267**, 83

- Two radio pulsars in the globular cluster NGC 6624 (Biggs J.D., Bailes M., Lyne A.G., Goss W.M., Fruchter A.S.), **267**, 125
- Observations of interstellar gas towards ω Centauri and the Carina-Sagittarius spiral arm (Wood K.D., Bates B.), **267**, 660
- High-mass-loss AGB stars in the South Galactic Cap (Whitelock P., Menzies J., Feast M., Marang F., Carter B., Roberts G., Catchpole R., Chapman J.), **267**, 711
- ROSAT EUV luminosity functions of nearby late-type stars (Hodgkin S.T., Pye J.P.), **267**, 840
- The open cluster NGC 3293 and its short-period B-type variables (Balona L.A.), **267**, 1060
- The open cluster NGC 4755 and its short-period B-type variables (Balona L.A., Koen C.), **267**, 1071
- Micro-lensing by the Milky Way halo (Evans N.W., Jijina J.), **267**, L21

Galaxies

- On the baryon content of the Universe (Bristow P.D., Philipps S.), **267**, 13
- Spatial distribution of low-surface-brightness galaxies (Mo H.J., McGaugh S.S., Bothun G.D.), **267**, 129
- Self-similar solutions up to flashpoint in highly wound magnetostatics (Lynden-Bell D., Boily C.), **267**, 146
- A comparison of the radio-submillimetre spectra of BL Lacertae objects and flat-spectrum radio quasars (Gear W.K., Stevens J.A., Hughes D.H., Litchfield S.J., Robson E.I., Teräsanta H., Valtaoja E., Steppe H., Aller M.F., Aller H.D.), **267**, 167
- Spectral constraints on Seyfert 2 galaxies as major contributors to the hard (3-100 keV) X-ray background (Matt G., Fabian A.C.), **267**, 187
- Constraining the complexities in Seyfert X-ray spectra - an analysis of simultaneous observations with *Ginga* and *ROSAT* (Pounds K.A., Nandra K., Fink H.H., Makino F.), **267**, 193
- Spectral-index asymmetries in radio galaxies: the effects of projection and light traveltime (Blundell K.M., Alexander P.), **267**, 241
- Multifrequency observations of the radio galaxy 3C 159 (Cerchiara P.L., Browne I.W.A., Mantovani F., Muxlow T.W.B.), **267**, 247
- Optical structure of a large sample of ultraluminous IRAS galaxies (Leech K.J., Rowan-Robinson M., Lawrence A., Hughes J.D.), **267**, 253
- Exponential bulges in late-type spirals: an improved description of the light distribution (Andreidakis Y.C., Sanders R.H.), **267**, 283
- On the polarization of resonantly scattered emission lines - I. Emission and absorption coefficients in an anisotropic radiation field (Lee H.-W., Blandford R.D., Western L.), **267**, 303
- The three-dimensional power spectrum measured from the APM Galaxy Survey - II. Use of the two-dimensional power spectrum (Baugh C.M., Efstathiou G.), **267**, 323
- The power-law galaxies (Evans N.W.), **267**, 333
- A new distribution function fitting a nearly spherical cold-collapsed N-body system (Voglis N.), **267**, 379
- The correlation function of rich clusters of galaxies in CDM-like models (Croft R.A.C., Efstathiou G.), **267**, 390
- Simulations of dissipative galaxy formation in hierarchically clustering universes - II. Dynamics of the baryonic component in galactic haloes (Navarro J.F., White S.D.M.), **267**, 401
- Optical emission associated with the radio jet in B2 1243 + 26 (González-Serrano J.I., Pérez-Fournon I., Morganti R.), **267**, 424
- Multicolour photometry of the Shapley 8 cluster of galaxies (Metcalfe N., Godwin J.G., Peach J.V.), **267**, 431
- A search for extragalactic methanol masers (Ellingsen S.P., Norris R.P., Whiteoak J.B., Vaile R.A., McCulloch P.M., Price M.G.), **267**, 510
- The spatial clustering of faint galaxies (Cole S., Ellis R., Broadhurst T., Colless M.), **267**, 541
- Impact of small bodies on to discs around compact objects - I. Impact statistics (Pineault S., Landry S.), **267**, 557
- The nature of the extended blue continuum in Cygnus A (Shaw M., Tadhunter C.), **267**, 589
- Cosmic voids and biased galaxy formation (Little B., Weinberg D.H.), **267**, 605
- Stability of a relativistic rotating electron-positron jet (Istomin Ya.N., Pariev V.I.), **267**, 629

A study of the core of the Shapley Concentration – I. The sample (Bardelli S., Zucca E., Vettolani G., Zamorani G., Scaramella R., Collins C.A., MacGillivray H.T.), **267**, 665

The contribution of the obscuring torus to the X-ray spectrum of Seyfert galaxies: a test for the unification model (Ghisellini G., Haardt F., Matt G.), **267**, 743

Viscous evolution of self-gravitating galactic discs under modified Newtonian dynamics (Morishima T., Saio H.), **267**, 766

The spatial correlation function from an X-ray-selected sample of Abell clusters (Nichol R.C., Briel U.G., Henry J.P.), **267**, 771

Cooling flows and the X-ray luminosity–temperature relation for clusters (Fabian A.C., Crawford C.S., Edge A.C., Mushotzky R.F.), **267**, 779

Fourier analysis of redshift-space distortions and the determination of Ω (Cole S., Fisher K.B., Weinberg D.H.), **267**, 785

Erratum: The photometric properties of ‘box/peanut’ galactic bulges (Shaw M.), **267**, 800

Lagrangian theory of gravitational instability of Friedman–Lemaître cosmologies – a generic third-order model for non-linear clustering (Buchert T.), **267**, 811

The RR Lyrae population of the LMC – I. The immediate environment of NGC 2210 (Reid N., Freedman W.), **267**, 821

The local density of low-luminosity star-forming galaxies (Schade D.J., Ferguson H.C.), **267**, 889

Penetrating the fog: correcting ground-based CCD spectroscopy for telluric absorption (Stevenson C.C.), **267**, 904

Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey – II. Redshift distortions and $\xi(r_p, \pi)$ (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.P.), **267**, 927

X-ray reprocessing by cold clouds in active galactic nuclei (Nandra K., George I.M.), **267**, 974

Faint galaxy counts in a hierarchical universe (Kauffmann G., Guiderdoni B., White S.D.M.), **267**, 981

Reconstructing the linear power spectrum of cosmological mass fluctuations (Peacock J.A., Dodds S.J.), **267**, 1020

High-resolution imaging of faint blue galaxies (Colless M., Schade D., Broadhurst T.J., Ellis R.S.), **267**, 1108

Accretion of satellite galaxies and the density of the Universe (Navarro J.F., Frenk C.S., White S.D.M.), **267**, L1

1.25-mm continuum observations of very high-redshift QSOs: is there dust at $z=4.69$? (McMahon R.G., Omont A., Bergeron J., Kreysa E., Haslam C.G.T.), **267**, L9

The luminosity function of galaxies in compact groups (Ribeiro A.L.B., de Carvalho R.R., Zepf S.E.), **267**, L13

Cosmology

On the baryon content of the Universe (Bristow P.D., Phillips S.), **267**, 13

Spatial distribution of low-surface-brightness galaxies (Mo H.J., McGaugh S.S., Bothun G.D.), **267**, 129

Spectral constraints on Seyfert 2 galaxies as major contributors to the hard (3–100 keV) X-ray background (Matt G., Fabian A.C.), **267**, 187

The spectrum of the extragalactic X-ray background below 3 keV (Barber C.R., Warwick R.S.), **267**, 270

The three-dimensional power spectrum measured from the APM Galaxy Survey – II. Use of the two-dimensional power spectrum (Baugh C.M., Efstathiou G.), **267**, 323

The correlation function of rich clusters of galaxies in CDM-like models (Croft R.A.C., Efstathiou G.), **267**, 390

Simulations of dissipative galaxy formation in hierarchically clustering universes – II. Dynamics of the baryonic component in galactic haloes (Navarro J.F., White S.D.M.), **267**, 401

The Fourier-space statistics of seed-like cosmological perturbations (Perivolaropoulos L.), **267**, 529

Cosmic voids and biased galaxy formation (Little B., Weinberg D.H.), **267**, 605

A study of the core of the Shapley Concentration – I. The sample (Bardelli S., Zucca E., Vettolani G., Zamorani G., Scaramella R., Collins C.A., MacGillivray H.T.), **267**, 665

The spatial correlation function from an X-ray-selected sample of Abell clusters (Nichol R.C., Briel U.G., Henry J.P.), **267**, 771

Fourier analysis of redshift-space distortions and the determination of Ω (Cole S., Fisher K.B., Weinberg D.H.), **267**, 785

Lagrangian theory of gravitational instability of Friedman–Lemaître cosmologies – a generic third-order model for non-linear clustering (Buchert T.), **267**, 811

Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey – II. Redshift distortions and $\xi(r_p, \pi)$ (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.P.), **267**, 927

Faint galaxy counts in a hierarchical universe (Kauffmann G., Guiderdoni B., White S.D.M.), **267**, 981

Astrophysical deductions from the quasi-steady-state cosmology (Hoyle F., Burbidge G., Narlikar J.V.), **267**, 1007

Reconstructing the linear power spectrum of cosmological mass fluctuations (Peacock J.A., Dodds S.J.), **267**, 1020

Accretion of satellite galaxies and the density of the Universe (Navarro J.F., Frenk C.S., White S.D.M.), **267**, L1

1.25-mm continuum observations of very high-redshift QSOs: is there dust at $z=4.69$? (McMahon R.G., Omont A., Bergeron J., Kreysa E., Haslam C.G.T.), **267**, L9

Microlensing by the Milky Way halo (Evans N.W., Jijina J.), **267**, L21

Sources as a function of wavelength

Further photometry of LSI + 61°303 (Mendelson H., Mazeh T.), **267**, 1

Observations of deuterated cyanoacetylene in dark clouds (Howe D.A., Millar T.J., Schilke P., Walmsley C.M.), **267**, 59

Two radio pulsars in the globular cluster NGC 6624 (Biggs J.D., Bailes M., Lyne A.G., Goss W.M., Fruchter A.S.), **267**, 125

Maximum entropy mapping of IRAS data – III. Evidence for hot dust in M17 (Hobson M.P., Ward-Thompson D.), **267**, 141

A comparison of the radio–submillimetre spectra of BL Lacertae objects and flat-spectrum radio quasars (Gear W.K., Stevens J.A., Hughes D.H., Litchfield S.J., Robson E.I., Teräsraanta H., Valtaoja E., Steppe H., Aller M.F., Aller H.D.), **267**, 167

Spectral constraints on Seyfert 2 galaxies as major contributors to the hard (3–100 keV) X-ray background (Matt G., Fabian A.C.), **267**, 187

Constraining the complexities in Seyfert X-ray spectra – an analysis of simultaneous observations with *Ginga* and *ROSAT* (Pounds K.A., Nandra K., Fink H.H., Makino F.), **267**, 193

The mid-infrared spectral development of Nova Cen 1986 (Smith C.H., Aitken D.K., Roche P.F.), **267**, 225

Spectral-index asymmetries in radio galaxies: the effects of projection and light traveltime (Blundell K.M., Alexander P.), **267**, 241

Multifrequency observations of the radio galaxy 3C 159 (Cerchiara P.L., Browne I.W.A., Mantovani F., Muxlow T.W.B.), **267**, 247

Optical structure of a large sample of ultraluminous IRAS galaxies (Leech K.J., Rowan-Robinson M., Lawrence A., Hughes J.D.), **267**, 253

The spectrum of the extragalactic X-ray background below 3 keV (Barber C.R., Warwick R.S.), **267**, 270

The 35-d modulation of the X-ray emission of Her X-1 in the framework of the SOD model: results of a three-dimensional SPH simulation (Lanzafame G., Belvedere G., Molteni D.), **267**, 312

Dust in discs around T Tauri stars: grain growth? (Mannings V., Emerson J.P.), **267**, 361

An infrared spectral sequence for M dwarfs (Jones H.R.A., Longmore A.J., Jameson R.F., Mountain C.M.), **267**, 413

Optical emission associated with the radio jet in B2 1243 + 26 (González-Serrano J.I., Pérez-Fournon I., Morganti R.), **267**, 424

Mapping the accretion region in AM Her systems: ST LMi (Cropper M., Horne K.), **267**, 481

The Geminga enigma: how many are there in the gamma-ray sky? (Helfand D.J.), **267**, 490

A search for extragalactic methanol masers (Ellingsen S.P., Norris R.P., Whiteoak J.B., Vaile R.A., McCulloch P. M., Price M.G.), **267**, 510


The line of death, the line of birth (Rudak B., Ritter H.), **267**, 513

On the properties of images from coded-mask telescopes (Skinner G.K., Ponman T.J.), **267**, 518

Impact of small bodies on to discs around compact objects – I. Impact statistics (Pineault S., Landry S.), **267**, 557

The nature of the extended blue continuum in Cygnus A (Shaw M., Tadhunter C.), **267**, 589

- A new hot DA white dwarf in a region of exceptionally low H I density (Barstow M.A., Wesemael F., Holberg J.B., Buckley D.A.H., Stobie R.S., Mittaz J.P.D., Fontaine G., Rosen S.R., Demers S., Lamontagne R., Irwin M.J., Bergeron P., Kepler S.O., Vennes S.), **267**, 647
- The nature of the newly discovered DO white dwarf RE 0503-289 (Barstow M.A., Holberg J.B., Werner K., Buckley D.A.H., Stobie R.S.), **267**, 653
- High-mass-loss AGB stars in the South Galactic Cap (Whitelock P., Menzies J., Feast M., Marang F., Carter B., Roberts G., Catchpole R., Chapman J.), **267**, 711
- The contribution of the obscuring torus to the X-ray spectrum of Seyfert galaxies: a test for the unification model (Ghisellini G., Haardt F., Matt G.), **267**, 743
- Infrared polarimetry in the Chamaeleon I ρ OMC-1 cloud (McGregor P.J., Harrison T.E., Hough J.H., Bailey J.A.), **267**, 755
- The spatial correlation function from an X-ray-selected sample of Abell clusters (Nichol R.C., Briel U.G., Henry J.P.), **267**, 771
- Cooling flows and the X-ray luminosity-temperature relation for clusters (Fabian A.C., Crawford C.S., Edge A.C., Mushotzky R.F.), **267**, 779
- Erratum: The photometric properties of 'box/peanut' galactic bulges (Shaw M.), **267**, 800
- ROSAT EUV luminosity functions of nearby late-type stars (Hodgkin S.T., Pye J.P.), **267**, 840
- A singular interacting eclipsing binary in the Galactic halo (Whitelock P., Menzies J., Catchpole R., Marang F.), **267**, 881
- Penetrating the fog: correcting ground-based CCD spectroscopy for telluric absorption (Stevenson C.C.), **267**, 904
- Ultraviolet and radio observations of the young, rapidly rotating K0 dwarf star HD 197890 (Robinson R.D., Carpenter K.G., Slee O.B., Nelson G.J., Stewart R.T.), **267**, 918
- Clustering in the 1.2-Jy IRAS Galaxy Redshift Survey - II. Redshift distortions and $\xi(r_p, \pi)$ (Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.P.), **267**, 927
- X-ray reprocessing by cold clouds in active galactic nuclei (Nandra K., George I.M.), **267**, 974
- On the nature of non-thermal radiation from cosmological γ -ray bursters (Usov V.V.), **267**, 1035
- Spin-resolved optical CCD spectroscopy and photometry of BG Canis Minoris (Garlick M.A., Rosen S.R., Mittaz J.P.D., Mason K.O., De Martino D.), **267**, 1095
- 1.25-mm continuum observations of very high-redshift QSOs: is there dust at $z=4.69$? (McMahon R.G., Omont A., Bergeron J., Kreysa E., Haslam C.G.T.), **267**, L9
- Iron K α resonant absorption in warm absorbers around active galactic nuclei (Matt G.), **267**, L17



AUTHOR INDEX

- Aitken D.K. *see* Smith C.H.
 Akalın A. *see* Demircan O.
 Albrow M.D., Cottrell P.L., Line profiles of Cepheid variables: projection factors and metallic line asymmetries, **267**, 548
 Alexander P. *see* Blundell K.M.
 Aller H.D. *see* Gear W.K.
 Aller M.F. *see* Gear W.K.
 Andredakis Y.C., Sanders R.H., Exponential bulges in late-type spirals: an improved description of the light distribution, **267**, 283
 Anosova J.P. *see* Kiseleva L.G.
 Antia H.M. *see* Basu S.
 Arevalo M.J. *see* van Paradijs J.
 Asher D.J., Bailey M.E., Hahn G., Steel D.I., Asteroid 5335 Damocles and its implications for cometary dynamics, **267**, 26
- Bailes M. *see* Biggs J.D.
 Bailey J.A. *see* McGregor P.J.
 Bailey M.E. *see* Asher D.J.
 Balona L.A., Hearnshaw J.B., Koen C., Collier A., Machi I., Mkhosi M., Steenberg C., Photometry and line profile variations of the peculiar variable γ Doradus, **267**, 103
 Balona L.A., Koen C., The open cluster NGC 4755 and its short-period B-type variables, **267**, 1071
 Balona L.A., The open cluster NGC 3293 and its short-period B-type variables, **267**, 1060
 Barber C.R., Warwick R.S., The spectrum of the extragalactic X-ray background below 3 keV, **267**, 270
 Bardelli S., Zucca E., Vettolani G., Zamorani G., Scaramella R., Collins C.A., MacGillivray H.T., A study of the core of the Shapley Concentration - I. The sample, **267**, 665
 Barstow M.A., Holberg J.B., Werner K., Buckley D.A.H., Stobie R.S., The nature of the newly discovered DO white dwarf RE 0503-289, **267**, 653
 Barstow M.A., Wesemael F., Holberg J.B., Buckley D.A.H., Stobie R.S., Mittaz J.P.D., Fontaine G., Rosen S.R., Demers S., Lamontagne R., Irwin M.J., Bergeron P., Kepler S.O., Vennes S., A new hot DA white dwarf in a region of exceptionally low H I density, **267**, 647
 Baruch J.E.F. *see* van Paradijs J.
 Basu S., Antia H.M., Narasimha D., Helioseismic measurement of the extent of overshoot below the solar convection zone, **267**, 209
 Bates B. *see* Wood K.D.
 Baugh C.M., Efstathiou G., The three-dimensional power spectrum measured from the APM Galaxy Survey - II. Use of the two-dimensional power spectrum, **267**, 323
 Bell K.L. *see* McLaughlin B.M.
 Bell S.A. *see* Hilditch R.W.; Pollacco D.L.
 Bell S.A., Pollacco D.L., Hilditch R.W., A search for photometric variability in the central star of NGC 6543, **267**, 1053
 Belvedere G. *see* Lanzafame G.
 Benetti S. *see* Cappellaro E.
 Bergeron J. *see* McMahon R.G.
 Bergeron P. *see* Barstow M.A.
 Biermann P.L. *see* Nath B.B.
 Biggs J.D., Bailes M., Lyne A.G., Goss W.M., Fruchter A.S., Two radio pulsars in the globular cluster NGC 6624, **267**, 125
 Blandford R.D. *see* Lee H.-W.
 Blandford R.D., On the timing history of PSR B1509-58, **267**, L7
 Blundell K.M., Alexander P., Spectral-index asymmetries in radio galaxies: the effects of projection and light traveltime, **267**, 241
 Boily C. *see* Lynden-Bell D.
 Bothun G.D. *see* Mo H.J.
 Briel U.G. *see* Nichol R.C.
 Bristow P.D., Philipps S., On the baryon content of the Universe, **267**, 13
 Broadhurst T. *see* Cole S.
 Broadhurst T.J. *see* Colless M.
 Browne I.W.A. *see* Cerchiara P.L.
 Buchert T., Lagrangian theory of gravitational instability of Friedman-Lemaître cosmologies - a generic third-order model for non-linear clustering, **267**, 811
 Buckley D.A.H. *see* Barstow M.A.
- Burbidge G. *see* Hoyle F.
- Cacciari C. *see* Clementini G.
 Callaghan K.A.S. *see* Hickson P.
 Callanan P.J. *see* van Paradijs J.
 Cappellaro E., Benetti S., Sabbadin F., Salvadori L., Turatto M., Zanin C., New emission nebulae in the POSS field $18^{\circ}48^{\text{m}}+0^{\circ}$, **267**, 871
 Carpenter K.G. *see* Robinson R.D.
 Carretta E. *see* Clementini G.
 Carter B. *see* Whitelock P.
 Casares J. *see* van Paradijs J.
 Catchpole R. *see* Whitelock P.
 Cerchiara P.L., Browne I.W.A., Mantovani F., Muxlow T.W.B., Multifrequency observations of the radio galaxy 3C 159, **267**, 247
 Chan R., Herrera L., Santos N.O., Dynamical instability for shearing viscous collapse, **267**, 637
 Chapman J. *see* Whitelock P.
 Charles P.A. *see* Harlaftis E.T.; van Paradijs J.
 Christensen P.R. *see* Flynn C.
 Christensen-Dalsgaard J. *see* Pérez Hernández F.
 Clementini G., Merighi R., Gratton R., Carretta E., Chemical abundances of RR Lyrae stars in the globular cluster M4, **267**, 43
 Clementini G., Merighi R., Pasquini L., Cacciari C., Gouiffes C., *BVRI* photoelectric photometry and radial velocity data for four RR Lyrae stars in the globular cluster NGC 6121: the strange case of V15, **267**, 83
 Cole S., Ellis R., Broadhurst T., Colless M., The spatial clustering of faint galaxies, **267**, 541
 Cole S., Fisher K.B., Weinberg D.H., Fourier analysis of redshift-space distortions and the determination of Ω , **267**, 785
 Colless M. *see* Cole S.
 Colless M., Schade D., Broadhurst T.J., Ellis R.S., High-resolution imaging of faint blue galaxies, **267**, 1108
 Collier A. *see* Balona L.A.
 Collins C.A. *see* Bardelli S.
 Comer G.L., Katz J., Some conditions for existence of tension stars, **267**, 51
 Cottrell P.L. *see* Albrow M.D.
 Crawford C.S. *see* Fabian A.C.
 Croft R.A.C., Efstathiou G., The correlation function of rich clusters of galaxies in CDM-like models, **267**, 390
 Cropper M., Horne K., Mapping the accretion region in AM Her systems: ST LMi, **267**, 481
- Davis M. *see* Fisher K.B.
 de Araújo F.X., de Freitas Pacheco J.A., Petrini D., Radiative wind models with azimuthal symmetry - II. A latitude-dependent wind for Be and B[e] stars, **267**, 501
 de Carvalho R.R. *see* Ribeiro A.L.B.
 de Freitas Pacheco J.A. *see* de Araújo F.X.
 de Jager O.C., Meintjes P.J., O'Donoghue D., Robinson E.L., The discovery of a brake on the white dwarf in AE Aquarii, **267**, 577
 De Martino D. *see* Garlick M.A.
 Demers S. *see* Barstow M.A.
 Demircan O., Derman E., Akalın A., Selam S., Müyesseröglü Z., Light-curve and period changes of AB Andromedae, **267**, 19
 Derman E. *see* Demircan O.
 Dhillon V.S. *see* Harlaftis E.T.; Still M.D.; van Paradijs J.
 Dodds S.J. *see* Peacock J.A.
 Dolan J.F. *see* Wolinski K.G.
 Dufton P.L. *see* Hambly N.C.
 Duley W.W. *see* Willacy K.
- Edge A.C. *see* Fabian A.C.
 Efstathiou G. *see* Baugh C.M.; Croft R.A.C.
 Eggleton P.P. *see* Kiseleva L.G.
 Ellingsen S.P., Norris R.P., Whiteoak J.B., Vaile R.A., McCulloch P.M., Price M.G., A search for extragalactic methanol masers, **267**, 510
 Ellis R. *see* Cole S.
 Ellis R.S. *see* Colless M.

- Emerson J.P. see Mannings V.
 Evans N.W., Jijina J., Microlensing by the Milky Way halo, **267**, L21
 Evans N.W., The power-law galaxies, **267**, 333
- Fabian A.C. see Matt G.
 Fabian A.C., Crawford C.S., Edge A.C., Mushotzky R.F., Cooling flows and the X-ray luminosity-temperature relation for clusters, **267**, 779
 Feast M. see Whitelock P.
 Ferguson H.C. see Schade D.J.
 Fink H.H. see Pounds K.A.
 Fisher K.B. see Cole S.
 Fisher K.B., Davis M., Strauss M.A., Yahil A., Huchra J.P., Clustering in the 1.2-Jy *IRAS* Galaxy Redshift Survey - II. Redshift distortions and $\xi(r_p, \pi)$, **267**, 927
 Flynn C., Sommer-Larsen J., Christensen P.R., A method for identifying blue horizontal branch stars on the basis of spectra and photoelectric colours, **267**, 77
 Fontaine G. see Barstow M.A.
 Freedman W. see Reid N.
 Frenk C.S. see Navarro J.F.
 Fruchter A.S. see Biggs J.D.
- Garlick M.A., Rosen S.R., Mittaz J.P.D., Mason K.O., De Martino D., Spin-resolved optical CCD spectroscopy and photometry of BG Canis Minoris, **267**, 1095
 Gear W.K., Stevens J.A., Hughes D.H., Litchfield S.J., Robson E.L., Teräsraanta H., Valtaja E., Steppe H., Aller M.F., Aller H.D., A comparison of the radio-submillimetre spectra of BL Lacertae objects and flat-spectrum radio quasars, **267**, 167
 George I.M. see Nandra K.
 Ghisellini G., Haardt F., Matt G., The contribution of the obscuring torus to the X-ray spectrum of Seyfert galaxies: a test for the unification model, **267**, 743
 Gibson B.K. see Hickson P.
 Gimenez A. see van Paradijs J.
 Godwin J.G. see Metcalfe N.
 Gonzalez R. see van Paradijs J.
 González-Serrano J.I., Pérez-Fournon I., Morganti R., Optical emission associated with the radio jet in B2 1243 + 26, **267**, 424
 Goss W.M. see Biggs J.D.
 Gouiffes C. see Clementini G.
 Gratton R. see Clementini G.
 Griffin R.F., Photoelectric radial velocities, Paper XIV. Variation of the radial velocity of ϵ Cygni, **267**, 69
 Guiderdoni B. see Kauffmann G.
- Haardt F. see Ghisellini G.
 Hahn G. see Asher D.J.
 Hambly N.C., Kilkenny D., Keenan F.P., van Wyk F., Marang F., Roberts G., Dufton P.L., A search for β Cephei-type variability in a sample of intermediate- to high-Galactic-latitude B-type stars, **267**, 1103
 Harlaftis E.T. see van Paradijs J.
 Harlaftis E.T., Marsh T.R., Dhillon V.S., Charles P.A., A 60-night campaign on dwarf novae - II. Evidence for Balmer emission from the secondary star in IP Peg close to outburst, **267**, 473
 Harrison T.E. see McGregor P.J.
 Hartquist T.W. see Philipp W.
 Haslam C.G.T. see McMahon R.G.
 Hassall B.J.M. see van Paradijs J.
 Hearnshaw J.B. see Balona L.A.
 Helfand D.J., The Geminga enigma: how many are there in the gamma-ray sky?, **267**, 490
 Hellier C. see van Paradijs J.
 Henry J.P. see Nichol R.C.
 Herrera L. see Chan R.
 Hickson P., Gibson B.K., Callaghan K.A.S., Multinarrowband imaging: a new technique for multi-object spectrophotometry, **267**, 911
 Hilditch R.W. see Bell S.A.
 Hilditch R.W., Bell S.A., High-precision photometry of the RS CVn binary system XY UMa and a dark-zone photometric model, **267**, 1081
 Hill G.M. see Ryabchikova T.A.
- Hill P.W. see Pollacco D.L.
 Hoare M.G., He II lines from cataclysmic variable winds, **267**, 153
 Hobson M.P., Ward-Thompson D., Maximum entropy mapping of *IRAS* data - III. Evidence for hot dust in M17, **267**, 141
 Hodgkin S.T., Pye J.P., *ROSAT* EUV luminosity functions of nearby late-type stars, **267**, 840
 Holberg J.B. see Barstow M.A.
 Horne K. see Cropper M.; Still M.D.
 Hough J.H. see McGregor P.J.
 Howe D.A., Millar T.J., Schilke P., Walmsley C.M., Observations of deuterated cyanoacetylene in dark clouds, **267**, 59
 Hoyle F., Burbidge G., Narlikar J.V., Astrophysical deductions from the quasi-steady-state cosmology, **267**, 1007
 Huchra J.P. see Fisher K.B.
 Hughes D.H. see Gear W.K.
 Hughes J.D. see Leech K.J.
- Irwin M.J. see Barstow M.A.
 Istomin Ya.N., Pariev V.I., Stability of a relativistic rotating electron-positron jet, **267**, 629
- Jameson R.F. see Jones H.R.A.
 Jijina J. see Evans N.W.
 Jones D.H.P. see van Paradijs J.
 Jones H.R.A., Longmore A.J., Jameson R.F., Mountain C.M., An infrared spectral sequence for M dwarfs, **267**, 413
- Katz J. see Comer G.L.
 Kauffmann G., Guiderdoni B., White S.D.M., Faint galaxy counts in a hierarchical universe, **267**, 981
 Keenan F.P. see Hambly N.C.
 Kellett B.J. see Wonnacott D.
 Kepler S.O. see Barstow M.A.
 Kidger M.R. see van Paradijs J.
 Kilkenny D. see Hambly N.C.
 Kilkenny D., Marang F., Menzies J.W., A period decrease in the sdB eclipsing binary system HW Vir, **267**, 535
 Kiseleva L.G., Eggleton P.P., Anosova J.P., A note on the stability of hierarchical triple stars with initially circular orbits, **267**, 161
 Koen C. see Balona L.A.; Martinez P.
 Kreysa E. see McMahon R.G.
- Lamontagne R. see Barstow M.A.
 Landry S. see Pineault S.
 Landstreet J.D. see Ryabchikova T.A.
 Lanzafame G., Belvedere G., Molteni D., The 35-d modulation of the X-ray emission of Her X-1 in the framework of the SOD model: results of a three-dimensional SPH simulation, **267**, 312
 Lawrence A. see Leech K.J.
 Lazaro C. see van Paradijs J.
 Lee H.-W., Blandford R.D., Western L., On the polarization of resonantly scattered emission lines - I. Emission and absorption coefficients in an anisotropic radiation field, **267**, 303
 Leech K.J., Rowan-Robinson M., Lawrence A., Hughes J.D., Optical structure of a large sample of ultraluminous *IRAS* galaxies, **267**, 253
 Litchfield S.J. see Gear W.K.
 Little B., Weinberg D.H., Cosmic voids and biased galaxy formation, **267**, 605
 Lloyd C. see Wonnacott D.
 Longmore A.J. see Jones H.R.A.
 Lubow S.H., Papaloizou J.C.B., Pringle J.E., Magnetic field dragging in accretion discs, **267**, 235
 Lynden-Bell D., Boily C., Self-similar solutions up to flashpoint in highly wound magnetostatics, **267**, 146
 Lyne A.G. see Biggs J.D.
- McCulloch P.M. see Ellingsen S.P.
 McLaughlin B.M., Bell K.L., Effective collision strengths for intermultiplet $2s2p^4$ to $2s^22p^33s$, and $2s^22p^3$ and $2s^22p^23s$ to $2s^22p^33s$ optically forbidden transitions of O II, **267**, 231

- McMahon R.G., Omont A., Bergeron J., Kreysa E., Haslam C.G.T., 1.25-mm continuum observations of very high-redshift QSOs: is there dust at $z=4.69$?, **267**, L9
- Makino F. *see* Pounds K.A.
- Mannings V., Emerson J.P., Dust in discs around T Tauri stars: grain growth?, **267**, 361
- Mantovani F. *see* Cerchiara P.L.
- Marang F. *see* Hambly N.C.; Kilkenny D.; Whitelock P.
- Marsh T.R. *see* Harlaftis E.T.; Still M.D.; van Paradijs J.
- Martinez P., Koen C., Period searching by least squares in sparsely sampled light curves with non-sinusoidal oscillations, **267**, 1039
- Martinez-Pais I.G. *see* van Paradijs J.
- Mason K.O. *see* Garlick M.A.; van Paradijs J.
- Matt G. *see* Ghisellini G.
- Matt G., Fabian A.C., Spectral constraints on Seyfert 2 galaxies as major contributors to the hard (3–100 keV) X-ray background, **267**, 187
- Matt G., Iron K α resonant absorption in warm absorbers around active galactic nuclei, **267**, L17
- Mazeh T. *see* Mendelson H.
- Meintjes P.J. *see* de Jager O.C.
- Mendelson H., Mazeh T., Further photometry of LSI + 61°303, **267**, 1
- Menzies J. *see* Whitelock P.
- Menzies J.W. *see* Kilkenny D.
- Merighi R. *see* Clementini G.
- Metcalfe N., Godwin J.G., Peach J.V., Multicolour photometry of the Shapley 8 cluster of galaxies, **267**, 431
- Michel F.C., A fast pulsar in SN1987A?, **267**, L4
- Millar T.J. *see* Howe D.A.
- Mittaz J.P.D. *see* Barstow M.A.; Garlick M.A.
- Mkhosi M. *see* Balona L.A.
- Mo H.J., McGaugh S.S., Bothun G.D., Spatial distribution of low-surface-brightness galaxies, **267**, 129
- Molteni D. *see* Lanzafame G.
- Morganti R. *see* González-Serrano J.I.
- Morishima T., Saio H., Viscous evolution of self-gravitating galactic discs under modified Newtonian dynamics, **267**, 766
- Mountain C.M. *see* Jones H.R.A.
- Mukai K. *see* van Paradijs J.
- Mushotzky R.F. *see* Fabian A.C.
- Muslimov A.G., Magnetic field evolution in neutron stars: coupling between poloidal and toroidal components in the crust, **267**, 523
- Muxlow T.W.B. *see* Cerchiara P.L.
- Müyesseroglu Z. *see* Demircan O.
- Nandra K. *see* Pounds K.A.
- Nandra K., George I.M., X-ray reprocessing by cold clouds in active galactic nuclei, **267**, 974
- Narasimha D. *see* Basu S.
- Narlikar J.V. *see* Hoyle F.
- Nath B.B., Biermann P.L., Cosmic ray ionization of the interstellar medium, **267**, 447
- Navarro J.F., Freck C.S., White S.D.M., Accretion of satellite galaxies and the density of the Universe, **267**, L1
- Navarro J.F., White S.D.M., Simulations of dissipative galaxy formation in hierarchically clustering universes – II. Dynamics of the baryonic component in galactic haloes, **267**, 401
- Naylor T. *see* van Paradijs J.
- Nelson G.J. *see* Robinson R.D.
- Nichol R.C., Briel U.G., Henry J.P., The spatial correlation function from an X-ray-selected sample of Abell clusters, **267**, 771
- Norris R.P. *see* Ellingsen S.P.
- O'Donoghue D. *see* de Jager O.C.
- Omont A. *see* McMahon R.G.
- Papaloizou J.C.B. *see* Lubow S.H.
- Pariev V.I. *see* Istomin Ya.N.
- Pasquini L. *see* Clementini G.
- Peach J.V. *see* Metcalfe N.
- Peacock J.A., Dodds S.J., Reconstructing the linear power spectrum of cosmological mass fluctuations, **267**, 1020
- Pérez Hernández F., Christensen-Dalsgaard J., The phase function for stellar acoustic oscillations – II. Effects of filtering, **267**, 111
- Pérez-Fournon I. *see* González-Serrano J.I.
- Perivolaropoulos L., The Fourier-space statistics of seed-like cosmological perturbations, **267**, 529
- Petrini D. *see* de Araújo F.X.
- Phillipps S. *see* Bristow P.D.
- Pilipp W., Hartquist T.W., Grains in shocks in weakly ionized clouds – II. Magnetic field rotation in oblique shocks, **267**, 801
- Pineault S., Landry S., Impact of small bodies on to discs around compact objects – I. Impact statistics, **267**, 557
- Piskunov N. *see* Ryabchikova T.A.
- Pollacco D.L. *see* Bell S.A.
- Pollacco D.L., Bell S.A., A preliminary analysis of the planetary nebula central star V477 Lyrac, **267**, 452
- Pollacco D.L., Hill P.W., The planetary nebula surrounding the WC 11 star IRAS 17514–1555, **267**, 692
- Ponman T.J. *see* Skinner G.K.
- Pounds K.A., Nandra K., Fink H.H., Makino F., Constraining the complexities in Seyfert X-ray spectra – an analysis of simultaneous observations with *Ginga* and *ROSAT*, **267**, 193
- Price M.G. *see* Ellingsen S.P.
- Pringle J.E. *see* Lubow S.H.
- Pye J.P. *see* Hodgkin S.T.
- Ray A. *see* Urpin V.A.
- Reglero V. *see* van Paradijs J.
- Reid N., Freedman W., The RR Lyrae population of the LMC – I. The immediate environment of NGC 2210, **267**, 821
- Ribeiro A.L.B., de Carvalho R.R., Zepf S.E., The luminosity function of galaxies in compact groups, **267**, L13
- Ritter H. *see* Rudak B.
- Roberts G. *see* Hambly N.C.; Whitelock P.
- Robinson E.L. *see* de Jager O.C.
- Robinson R.D., Carpenter K.G., Slee O.B., Nelson G.J., Stewart R.T., Ultraviolet and radio observations of the young, rapidly rotating K0 dwarf star HD 197890, **267**, 918
- Robson E.I. *see* Gear W.K.
- Roche P.F. *see* Smith C.H.
- Rosen S.R. *see* Barstow M.A.; Garlick M.A.
- Rowan-Robinson M. *see* Leech K.J.
- Roxburgh I.W., Vorontsov S.V., The seismology of stellar cores: a simple theoretical description of the 'small frequency separations', **267**, 297
- Rudak B., Ritter H., The line of death, the line of birth, **267**, 513
- Rutten R.G.M. *see* van Paradijs J.
- Ryabchikova T.A., Hill G.M., Landstreet J.D., Piskunov N., Sigut T.A.A., Astrophysical determination of optical oscillator strengths for Ti II, **267**, 697
- Sabbadin F. *see* Cappellaro E.
- Saio H. *see* Morishima T.
- Salvadori L. *see* Cappellaro E.
- Sanders R.H. *see* Andreidakis Y.C.
- Santos N.O. *see* Chan R.
- Scaramella R. *see* Bardelli S.
- Schade D. *see* Colless M.
- Schade D.J., Ferguson H.C., The local density of low-luminosity star-forming galaxies, **267**, 889
- Schilke P. *see* Howe D.A.
- Selam S. *see* Demircan O.
- Shaw M., Erratum: The photometric properties of 'box/peanut' galactic bulges, **267**, 800
- Shaw M., Tadhunter C., The nature of the extended blue continuum in Cygnus A, **267**, 589
- Sigut T.A.A. *see* Ryabchikova T.A.
- Skinner G.K., Ponman T.J., On the properties of images from coded-mask telescopes, **267**, 518
- Slee O.B. *see* Robinson R.D.
- Smalley B. *see* Wonnacott D.
- Smith C.H., Aitken D.K., Roche P.F., The mid-infrared spectral development of Nova Cen 1986, **267**, 225
- Smith R.C. *see* van Paradijs J.
- Sommer-Larsen J. *see* Flynn C.
- Steel D.I. *see* Asher D.J.
- Steenberg C. *see* Balona L.A.
- Steppe H. *see* Gear W.K.
- Stevens J.A. *see* Gear W.K.

- Stevenson C.C., Penetrating the fog: correcting ground-based CCD spectroscopy for telluric absorption, **267**, 904
- Stewart R.T. *see* Robinson R.D.
- Still M.D., Marsh T.R., Dhillon V.S., Horne K., A spectrophotometric study of the cataclysmic variable 1329–294, **267**, 957
- Stobie R.S. *see* Barstow M.A.
- Strauss M.A. *see* Fisher K.B.
- Tadhunter C. *see* Shaw M.
- Teräsanta H. *see* Gear W.K.
- Turatto M. *see* Cappellaro E.
- Urpín V.A., Ray A., Circulation of matter and evolution of the internal magnetic field in neutron stars, **267**, 1000
- Usov V.V., On the nature of non-thermal radiation from cosmological γ -ray bursters, **267**, 1035
- Vaile R.A. *see* Ellingsen S.P.
- Valtaoja E. *see* Gear W.K.
- van Paradijs J., Charles P.A., Harlaftis E.T., Arevalo M.J., Baruch J.E.F., Callanan P.J., Casares J., Dhillon V.S., Gimenez A., Gonzalez R., Martinez-Pais I.G., Jones D.H.P., Hassall B.J.M., Hellier C., Kidger M.R., Lazaro C., Marsh T.R., Mason K.O., Mukai K., Naylor T., Reglero V., Rutten R.G.M., Smith R.C., A 60-night campaign on dwarf novae – I. Photometric variability of SU UMa and YZ Cnc, **267**, 465
- van Wyk F. *see* Hambly N.C.
- Vennes S. *see* Barstow M.A.
- Vettolani G. *see* Bardelli S.
- Voglis N., A new distribution function fitting a nearly spherical cold-collapsed N -body system, **267**, 379
- Vorontsov S.V. *see* Roxburgh I.W.
- Walmsley C.M. *see* Howe D.A.
- Ward-Thompson D. *see* Hobson M.P.
- Warwick R.S. *see* Barber C.R.
- Weinberg D.H. *see* Cole S.; Little B.
- Werner K. *see* Barstow M.A.
- Wesemael F. *see* Barstow M.A.
- Western L. *see* Lee H.-W.
- White S.D.M. *see* Kauffmann G.; Navarro J.F.
- Whitelock P., Menzies J., Catchpole R., Marang F., A singular interacting eclipsing binary in the Galactic halo, **267**, 881
- Whitelock P., Menzies J., Feast M., Marang F., Carter B., Roberts G., Catchpole R., Chapman J., High-mass-loss AGB stars in the South Galactic Cap, **267**, 711
- Whiteoak J.B. *see* Ellingsen S.P.
- Willacy K., Williams D.A., Duley W.W., Desorption of grain mantles in quiescent dark clouds by H_2 formation, **267**, 949
- Williams D.A. *see* Willacy K.
- Wolinski K.G., Dolan J.F., Confidence intervals for orbital parameters determined polarimetrically, **267**, 5
- Wonnacott D., Kellett B.J., Smalley B., Lloyd C., Pulsational activity on IK Pegasi, **267**, 1045
- Wood K.D., Bates B., Observations of interstellar gas towards ω Centauri and the Carina–Sagittarius spiral arm, **267**, 660
- Yahil A. *see* Fisher K.B.
- Zamorani G. *see* Bardelli S.
- Zanin C. *see* Cappellaro E.
- Zepf S.E. *see* Ribeiro A.L.B.
- Zucca E. *see* Bardelli S.

